



#### **Disclaimer**

The original, authoritative version of this document is the English version produced by Genevac Ltd. Subsequent changes to any document made by any third party have not been reviewed nor authenticated by Genevac Ltd. Such changes may include, but are not limited to, translation into languages other than English and additions to or deletions from the original content. Genevac Ltd disclaims responsibility for any and all damages, injuries, warranty claims and/or any other claims associated with such changes, inasmuch as such changes result in content that is different from the authoritative Genevac published version of the document.

# Table of Contents

<b>Introduction</b>	<b>4</b>	<b>Bottle Holders</b>	<b>28</b>
Nomenclature	4	<b>Flask Holders</b>	<b>29</b>
Sample Holder Compatibility	4	<b>SampleGenie™</b>	<b>31</b>
Sample Holder Types	5	<b>60 ml SampleGenie</b>	<b>32</b>
Heat Transfer	6	60 ml Drying Adapters	33
Heat-transfer Plates for Microplates	6	60 ml Lyophilisation/Concentration Adapters	33
Thermal Cushions & Tip Cushions	7	<b>125 ml SampleGenie</b>	<b>34</b>
Protective Coatings	7	125 ml Drying Adapters	35
Sample Holders for Special Applications	7	125 ml Lyophilisation/Concentration Adapters	35
Compatibility with other Manufacturers	7	<b>250 ml SampleGenie</b>	<b>36</b>
Minimum Order Quantities	7	250 ml Drying Adapters	37
<b>First-time Use</b>	<b>8</b>	250 ml Lyophilisation/Concentration Adapters	37
<b>Maintenance</b>	<b>8</b>	<b>Miscellaneous</b>	<b>38</b>
Inspection	8	Infinity Trolley	38
Cleaning	8	Heat-Transfer Plates for Microplates	40
<b>Glassware</b>	<b>9</b>	Gilson and Waters Fraction Collection Racks	42
Labelling of Glassware	9	<b>Thermal Cushions</b>	<b>44</b>
<b>Swings</b>	<b>10</b>	Tip Cushions	46
Side-bridge Swing	10	Viton Cushion	46
Fast-Stack Swing - Shallow Well	10	Thermal Cushion Accessories	47
Fast-Stack Swing - Deep Well	10	<b>Spare Parts</b>	<b>48</b>
<b>Sample Holders</b>	<b>11</b>	EZ-2 Consumables	48
Tube holders for Side-bridge Swings	11	Series 3 Consumables	50
<b>One-Piece Tube Holders</b>	<b>16</b>	Series 3 SampleGuard Probes	51
<b>Vial-Holders for Side-Bridge Swings</b>	<b>19</b>	<b>Genevac Patents</b>	<b>55</b>
<b>One-Piece Vial Holders</b>	<b>25</b>		
<b>Centrifuge Tube Holders</b>	<b>26</b>		
<b>Microcentrifuge Tube Holders</b>	<b>27</b>		

# Introduction

Genevac sample holders are manufactured from high-grade, solid aluminium to exacting specifications, including precise mass-balancing to ensure smooth operation of the evaporator.

Selection of the correct sample holder is a critical factor in optimising evaporation performance for your selected application. If you have any questions regarding the best sample holder for your application, please contact your local Genevac representative.

The common holders and SampleGenie adaptors are listed here. For the full range, please contact your local Genevac representative.

## Nomenclature

Throughout this brochure, the following terms are used:

**Tube Holder:** A sample holder that accommodates tubes with rounded ends.

**Vial Holder:** A sample holder that accommodates vials with flat ends.

**Bottle Holder:** A sample holder that accommodates bottles with flat ends.

**Flask Holder:** A sample holder that accommodates round-bottomed flasks.

Sample holders intended for use with tubes with conical or tapered ends are identified individually.

## Sample Holder Compatibility

Sample holders within this brochure are intended for use in Genevac Series 3, Series 2 and EZ-2 series centrifugal evaporators. They are not suitable for use in other evaporators or similar products.

Sample holder compatibility is indicated as follows:

Compatibility	
EZ-2	✓
S2	✓
S3	✓

Some sample holders are subject to limitations of use, or require accessories to function. Limitations and/or required accessories will be indicated as follows:

**NOTE: Requires Cushion (supplied)**


## Sample Holder Types

A comprehensive range of sample holders is available to suit tubes, vials, beakers, flasks, microplates etc. Sample holders come in two varieties: one-piece holders, and two-part holders with side-bridge swings.

**NOTE:** The maximum weight of the swing, holder and sample shall not exceed 1.5Kg.

### One-piece Sample Holders

One-piece sample holders are those in which the swing is integral to the holder.





*One-piece sample holder*



*One-piece sample holder with  
integral top-plate*

### Two-part Sample Holders

Two-part sample holders are those that consist of a sample holder and separate side-bridge swing.



*Separate sample holder and side-bridge swing*

All sample-holders are designed to lift cleanly out of the rotor to allow for easy sample loading.

## Heat Transfer

A major factor in determining the speed of evaporation is the rate at which heat is transferred into the sample. Greater heat transfer means faster evaporation. In Genevac Series 3 and EZ-2 Series evaporators, heat transfer is optimised via the following methods:

### High-quality Aluminium Rotors and Sample Holders

Genevac evaporators use high-quality aluminium, ensuring the highest thermal conductivity. This allows the most efficient heat transfer, at the lowest weight.


### Precision Engineering

Sample holder tube wells must be manufactured to high tolerance to ensure no gaps between the wall and the glassware that would reduce heat transfer or result in breakage. Centre of gravity and mass must be correct to ensure even heat distribution and rotor balance. Precision engineering combines with over two decades of experience to ensure perfect evaporation every time.

### Heat-transfer Plates for Microplates

Heat-transfer plates provide improved evaporation results when using microplates. Improvements will be seen in evenness of sample drying across the plate, and for some applications, heat-transfer plates may help to reduce evaporation times by up to 50%. Improvements are most notable when using deep-well or mid-well plates.

When using heat-transfer plates with pliable thermal pads, the plate should be inserted into the swing with the metal base-plate facing downwards (in contact with the swing). The microplate is loaded onto the top of the pad.



*Heat-transfer plate*



*Heat-transfer pad base-plate*

**NOTE:** Heat-transfer plates are for use with microplates only.

**NOTE:** Heat-transfer plates **shall** not be fitted with out microplates.

**NOTE:** Thermal pads are consumables and be replaced when cracks are observed.

## Thermal Cushions & Tip Cushions

Thermal Cushions and Tip Cushions provide improved evaporation results in a similar manner to thermal pads used with heat-transfer plates, and prolong glassware lifetimes by helping to absorb the high centrifugal load applied by Genevac evaporators. Use of thermal or tip cushions is mandatory with some sample holders.

Sample holders that require the use of thermal or tip cushions are supplied with a starter pack of cushions to allow immediate use.

Cushions are consumable items and must be replaced when worn or damaged. Genevac recommends purchasing additional cushions to allow for periodic replacement.

## Protective Coatings

Standard aluminium sample holders are hard anodised (water sealed) for protection against all common organic solvents, including strong acids such as TFA, HCl and Thionyl chloride.

**NOTE:** HCl and Thionyl chloride should only be evaporated in systems that are HCl-compatible. These systems are specifically built to resist attack from HCl and Thionyl chloride.

**NOTE:** The colouring of the anodised surface finish may vary from batch to batch; this is normal and does not affect the performance of the sample holder.

## Sample Holders for Special Applications

As the market leader in centrifugal evaporation, Genevac manufacture sample holders to suit almost every common application. If you have a special application or unusual tube size that is not available in the current range of sample holders, Genevac offers a bespoke sample holder design service. Please contact your local Genevac representative for more information.

## Compatibility with other Manufacturers

Please check the Genevac website for guides to compatibility with Radleys and Metler Toledo Autochemistry (Bohdan) products.

## Minimum Order Quantities

A minimum order quantity of two applies to sample holders, side-bridge swings, heat-transfer plates and SampleGenie assemblies.

## First-time Use

When using sample holders for the first time, always check that they are compatible with the evaporator. Load the sample holders with empty tubes (or vials, plates etc. as appropriate) and place the holder and swing assembly onto the rotor. Swing the rotor by hand, allowing the sample holder to reach its fully horizontal state, to make sure that no part of the assembly touches the rotor or chamber.

## Maintenance

Inspect and clean the sample holders on a regular basis, and always following any incident of solvent spillage or glass breakage.

## Inspection

Visually inspect the sample holders and swings to check for any spilled solvent or debris, especially in the sample holder wells. Spilled solvent can cause debris to adhere to the sample holders, creating raised points that place additional stress on the glassware.

Superficial surface damage such as scratches do not affect the performance of the sample holder. If deep pits or crevices begin to form, or if there is any structural damage (e.g. bending, deformation), immediately stop using it. Contact the Genevac Service department for evaluation.

Repeated use of sample holders with strong acids may cause colour fading over time. This is normal and does not affect the integrity of the sample holders.

Check the state of all thermal or tip cushions. Replace cushions at the first sign of wear or damage to reduce the risk of glass breakage.

## Cleaning

Clean off any adhered dirt or debris by washing the sample holders in soapy water, or with a cleaning solvent such as methanol or acetone. Once washed, rinse the sample holders in clean water. Alternatively, wash in a dishwasher at 90°C. Once washed, inspect the sample holder again to ensure that all adhered dirt, debris and solvent residue is removed.

Always dry the sample holders thoroughly after cleaning. Never place wet sample holders in the evaporator.

NOTE: The most likely cause of glassware breakage is a small fragment of glass from a previous glass breakage which has become stuck in a sample holder well. It is therefore very important that sample holders are cleaned thoroughly after any occurrence of glass breakage.

## Glassware

Some Genevac evaporators subject samples to accelerations in excess of 500 times gravity. This allows for excellent evaporation, but places a high degree of stress on the glassware. Selection of suitable glassware is essential to avoid glassware breakage and ensure perfect evaporation.

Always use high-quality glassware from recognised manufacturers of international repute. Experience has shown that 'own-brand' catalogue glassware can have highly variable dimensions and manufacturing quality; this kind of glassware is not recommended for use in Genevac evaporators due to excessive risk of breakage.

When selecting glassware, ensure the following:

- Reputable scientific glassware manufacturer
- High quality, machine-made borosilicate glass
- Minimum 1.2 mm wall thickness

Re-use of glassware in centrifugal evaporators gradually reduces the strength of the glassware. Replace all glassware regularly to avoid breakage.

### Damaged Glassware

Even a small scratch can reduce the strength of glassware by a significant degree. **Do not use glassware that is scratched, chipped, cracked or otherwise damaged. Do not use metal spatulas, wire brushes or similar hard instruments to clean glassware or remove dried samples.**

### Labelling of Glassware

There are two common methods of labelling glassware in laboratory environments. Both types can cause problems in the evaporator.

#### Paper/Thin Film Labels


The label effectively increases the diameter of the tube (especially if it wraps around the tube more than once). When the tube is not fully snug in the holder, heat transfer is reduced and any raised points (e.g. tiny fragments of glass from a previous breakage, small lumps of paper towel left behind after cleaning, or the label itself) place additional stress on the glassware.

#### Ceramic Etched

Ceramic-etched labelling weakens the glass. Genevac recommend testing new tubes for breakage before purchasing glassware in bulk.

# Swings


Side-bridge Swing			
	Max footprint	129.0 x 87.0 mm	Part Number
	Mass	380 g	<b>70-0578</b>
	Details	Suitable for use with all systems including HCl compatible. Holds a range of sample holders.	Compatibility
			EZ-2 ✓
S2 ✓			
			S3 ✓


Fast-Stack Swing - Shallow Well			
	Max plate height	19 mm	Part Number
	Max footprint	129.0 x 87.0 mm	<b>70-1338</b>
	Mass	523 g	Compatibility
	Details	Suitable for use with all systems including HCl compatible. Holds 4 shallow-well microplates.	EZ-2 ✓
S2 ✓			
S3 ✓			


Fast-Stack Swing - Deep Well			
	Max plate height	45 mm	Part Number
	Max footprint	129.0 x 87.0 mm	<b>70-1612</b>
	Mass	400 g	Compatibility
	Details	<p><b>NOTE: Requires two heat-transfer pads (supplied).</b> Suitable for use with all systems including HCl compatible. Holds 2 deep-well microplates.</p> <p><b>NOTE: Heat-transfer plates shall not be fitted with out microplates.</b></p> <p><b>NOTE: Thermal pads are consumables and be replaced when cracks are observed.</b></p>	EZ-2 ✓
S2 ✓			
S3 ✓			


# Sample Holders


## Tube holders for Side-bridge Swings


	Tube Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>
	<b>Nominal</b>	10	75	<b>10-5000</b>
	<b>Limits</b>	9.8 to 10.3	55 to 75	<b>Compatibility</b>
	<b>Details</b>	Holds up to 40 tubes.		EZ-2 ✓ S2 ✓ S3 ✓


	Tube Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>
	<b>Nominal</b>	12	75	<b>10-5025</b>
	<b>Limits</b>	11.8 to 12.3	55 to 75	<b>Compatibility</b>
	<b>Details</b>	Holds up to 40 tubes.		EZ-2 ✓ S2 ✓ S3 ✓


	Tube Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>
	<b>Nominal</b>	12	100	<b>10-5001</b>
	<b>Limits</b>	11.8 to 12.3	75 to 102	<b>Compatibility</b>
	<b>Details</b>	Holds up to 40 tubes.		EZ-2 ✓ S2 ✓ S3 ✓

	Tube Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>
	<b>Nominal</b>	13	75	<b>10-5047</b>
	<b>Limits</b>	12.8 to 13.3	55 to 75	<b>Compatibility</b>
	<b>Details</b>	Holds up to 40 tubes.		EZ-2 ✓ S2 ✓ S3 ✓


	Tube Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>
	<b>Nominal</b>	6	51	<b>10-5086</b>
	<b>Limits</b>	5.5 to 6.3	35 to 75	<b>Compatibility</b>
	<b>Details</b>	Holds up to 187 tubes.		EZ-2 ✓ S2 ✓ S3 ✓


	Tube Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>	
	<b>Nominal</b>	13	100	<b>10-5002</b>	
	<b>Limits</b>	12.8 to 13.3	75 to 102	<b>Compatibility</b>	
	<b>Details</b>	Holds up to 40 tubes.		EZ-2	✓
				S2	✓
S3				✓	

	Tube Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>	
	<b>Nominal</b>	13.5	100	<b>10-5003</b>	
	<b>Limits</b>	13.3 to 13.8	75 to 102	<b>Compatibility</b>	
	<b>Details</b>	Holds up to 40 tubes.		EZ-2	✓
				S2	✓
S3				✓	


	Tube Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>	
	<b>Nominal</b>	15	75	<b>10-5046</b>	
	<b>Limits</b>	14.8 to 15.3	55 to 75	<b>Compatibility</b>	
	<b>Details</b>	Holds up to 28 tubes.		EZ-2	✓
				S2	✓
S3				✓	


	Tube Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>	
	<b>Nominal</b>	15	100	<b>10-5008</b>	
	<b>Limits</b>	14.8 to 15.3	75 to 102	<b>Compatibility</b>	
	<b>Details</b>	Holds up to 28 tubes.		EZ-2	✓
				S2	✓
S3				✓	


	Tube Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>	
	<b>Nominal</b>	16	75	<b>10-5048</b>	
	<b>Limits</b>	15.8 to 16.3	55 to 75	<b>Compatibility</b>	
	<b>Details</b>	Holds up to 24 tubes.		EZ-2	✓
				S2	✓
S3				✓	

	Tube Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>	
	<b>Nominal</b>	16	100	<b>10-5004</b>	
	<b>Limits</b>	15.8 to 16.3	75 to 102	<b>Compatibility</b>	
	<b>Details</b>	Holds up to 24 tubes.		EZ-2	✓
				S2	✓
S3				✓	

	Tube Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>	
	<b>Nominal</b>	16.5	50	<b>10-5069</b>	
	<b>Limits</b>	16.3 to 16.8	40 to 60	<b>Compatibility</b>	
	<b>Details</b>	Holds up to 24 tubes.		EZ-2	✓
				S2	✓
S3				✓	


	Tube Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>	
	<b>Nominal</b>	17	83	<b>10-5042</b>	
	<b>Limits</b>	16.3 to 17.3	75 to 90	<b>Compatibility</b>	
	<b>Details</b>	For tapered microwave tubes. Holds up to 24 tubes.		EZ-2	✓
				S2	✓
S3				✓	


	Tube Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>	
	<b>Nominal</b>	17	100	<b>10-5005</b>	
	<b>Limits</b>	16.8 to 17.3	75 to 102	<b>Compatibility</b>	
	<b>Details</b>	Holds up to 24 tubes.		EZ-2	✓
				S2	✓
S3				✓	

	Tube Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>	
	<b>Nominal</b>	18	100	<b>10-5006</b>	
	<b>Limits</b>	17.8 to 18.3	75 to 102	<b>Compatibility</b>	
	<b>Details</b>	Holds up to 24 tubes.		EZ-2	✓
				S2	✓
S3				✓	


	Tube Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>	
	<b>Nominal</b>	18	105	<b>10-5073</b>	
	<b>Limits</b>	17.8 to 18.3	75 to 110	<b>Compatibility</b>	
	<b>Details</b>	Holds up to 20 tubes.		EZ-2	✓
				S2	✓
S3				✓	

	Tube Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>	
	<b>Nominal</b>	24	100	<b>10-5044</b>	
	<b>Limits</b>	23.8 to 24.3	75 to 102	<b>Compatibility</b>	
	<b>Details</b>	Holds up to 12 tubes.		EZ-2	✓
				S2	✓
S3				✓	


	Tube Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>
	<b>Nominal</b>	25	100	<b>10-5009</b>
	<b>Limits</b>	24.8 to 25.3	75 to 102	<b>Compatibility</b>
	<b>Details</b>	Holds up to 12 tubes.		EZ-2 ✓ S2 ✓ S3 ✓

	Tube Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>
	<b>Nominal</b>	27.5	100	<b>10-5012</b>
	<b>Limits</b>	27.3 to 27.8	75 to 110	<b>Compatibility</b>
	<b>Details</b>	Holds up to 8 tubes.		EZ-2 ✓ S2 ✓ S3 ✓

	Tube Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>
	<b>Nominal</b>	28	100	<b>10-5071</b>
	<b>Limits</b>	27.8 to 28.3	75 to 110	<b>Compatibility</b>
	<b>Details</b>	Holds up to 10 tubes.		EZ-2 ✓ S2 ✓ S3 ✓

	Tube Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>
	<b>Nominal</b>	30	100	<b>10-5018</b>
	<b>Limits</b>	29.8 to 30.3	75 to 102	<b>Compatibility</b>
	<b>Details</b>	Holds up to 8 tubes.		EZ-2 ✓ S2 ✓ S3 ✓

## One-Piece Tube Holders

	Tube Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>	
	<b>Nominal</b>	16	125	<b>10-5070</b>	
	<b>Limits</b>	15.8 to 16.3	110 to 132	<b>Compatibility</b>	
	<b>Details</b>	Holds up to 24 tubes.		EZ-2	✓
				S2	✓
S3				✓	

	Tube Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>	
	<b>Nominal</b>	16	150	<b>10-5020</b>	
	<b>Limits</b>	15.8 to 16.3	110 to 152	<b>Compatibility</b>	
	<b>Details</b>	Holds up to 12 tubes.		EZ-2	✓
				S2	✓
S3				✓	

	Tube Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>	
	<b>Nominal</b>	16.5	125	<b>10-5050</b>	
	<b>Limits</b>	16.3 to 16.8	110 to 132	<b>Compatibility</b>	
	<b>Details</b>	Holds up to 20 tubes.		EZ-2	✓
				S2	✓
S3				✓	

	Tube Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>	
	<b>Nominal</b>	17	150	<b>10-5022</b>	
	<b>Limits</b>	16.8 to 17.3	110 to 152	<b>Compatibility</b>	
	<b>Details</b>	Holds up to 24 tubes.		EZ-2	✓
				S2	✓
S3				✓	

	Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>	
	<b>Nominal</b>	17.5	140	<b>10-5055</b>	
	<b>Limits</b>	17.0 to 17.8	105 to 142	<b>Compatibility</b>	
	<b>Details</b>	Holds up to 12 tubes.		EZ-2	✓
				S2	✓
S3				✓	

	Tube Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>	
	<b>Nominal</b>	18	150	<b>10-5015</b>	
	<b>Limits</b>	17.8 to 18.3	110 to 152	<b>Compatibility</b>	
	<b>Details</b>	Holds up to 12 tubes.		EZ-2	✓
				S2	✓
S3				✓	


	Tube Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>	
	<b>Nominal</b>	20	150	<b>10-5023</b>	
	<b>Limits</b>	19.8 to 20.3	110 to 152	<b>Compatibility</b>	
	<b>Details</b>	Holds up to 10 tubes.		EZ-2	✓
				S2	✓
S3				✓	


	Tube Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>	
	<b>Nominal</b>	24	150	<b>10-5026</b>	
	<b>Limits</b>	23.8 to 24.3	110 to 152	<b>Compatibility</b>	
	<b>Details</b>	Compatible with Radleys Carousel and STEM reaction stations. Holds up to 6 tubes.		EZ-2	✓
				S2	✓
S3				✓	

	Tube Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>
	<b>Nominal</b>	25	150	<b>10-5027</b>
	<b>Limits</b>	24.8 to 25.3	110 to 152	<b>Compatibility</b>
	<b>Details</b>	Holds up to 6 tubes.		EZ-2 ✓ S2 ✓ S3 ✓


	Tube Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>
	<b>Nominal</b>	26	150	<b>10-5066</b>
	<b>Limits</b>	25.8 to 26.3	102 to 155	<b>Compatibility</b>
	<b>Details</b>	Holds up to 6 tubes.		EZ-2 ✓ S2 ✓ S3 ✓


	Tube Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>
	<b>Nominal</b>	34	150	<b>10-5056</b>
	<b>Limits</b>	33.8 to 34.3	110 to 152	<b>Compatibility</b>
	<b>Details</b>	<p><b>NOTE: Requires Cushion (supplied).</b></p> <p>Holds up to 4 tubes. Replacement cushion 10-1546 (each), 10-1551 (pack of 100).</p>		EZ-2 ✓ S2 ✓ S3 ✓


	Tube Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>
	<b>Nominal</b>	45	150	<b>10-5064</b>
	<b>Limits</b>	44.8 to 45.8	110 to 152	<b>Compatibility</b>
	<b>Details</b>	Holds up to 2 tubes.		EZ-2 ✓ S2 ✓ S3 ✓


	Tube Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>
	<b>Nominal</b>	27.5	140	<b>10-5084</b>
	<b>Limits</b>	27.3 to 27.8	110 to 145	<b>Compatibility</b>
	<b>Details</b>	Holds up to 6 tubes.		EZ-2 ✓ S2 ✓ S3 ✓


## Vial-Holders for Side-Bridge Swings


	Vial Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>	
	<b>Nominal</b>	8	35	<b>10-5045</b>	
	<b>Limits</b>	7.5 to 8.3	30 to 40	<b>Compatibility</b>	
	<b>Details</b>	Holds up to 96 vials.		EZ-2	✓
				S2	✓
S3				✓	


	Vial Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>	
	<b>Nominal</b>	10	45	<b>10-5029</b>	
	<b>Limits</b>	9.5 to 10.3	35 to 45	<b>Compatibility</b>	
	<b>Details</b>	Holds up to 48 vials.		EZ-2	✓
				S2	✓
S3				✓	


	Vial Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>	
	<b>Nominal</b>	11	35	<b>10-5032</b>	
	<b>Limits</b>	10.7 to 11.5	30 to 40	<b>Compatibility</b>	
	<b>Details</b>	Holds up to 48 vials.		EZ-2	✓
				S2	✓
S3				✓	


	Vial Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>	
	<b>Nominal</b>	11.5	55	<b>10-5074</b>	
	<b>Limits</b>	11.0 to 11.8	40 to 60	<b>Compatibility</b>	
	<b>Details</b>	Holds up to 48 vials.		EZ-2	✓
				S2	✓
S3				✓	


	Vial Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>	
	<b>Nominal</b>	12	35	<b>10-5024</b>	
	<b>Limits</b>	11.3 to 12.1	30 to 40	<b>Compatibility</b>	
	<b>Details</b>	Including GC auto-sampler vials. Holds up to 48 vials.		EZ-2	✓
				S2	✓
S3				✓	


	Vial Dimensions (mm)	Diameter	Length	Part Number
	Nominal	13	50	<b>10-5034</b>
	Limits	12.5 to 13.3	30 to 50	Compatibility
	Details	Holds up to 40 vials.		EZ-2 ✓ S2 ✓ S3 ✓


	Vial Dimensions (mm)	Diameter	Length	Part Number
	Nominal	14.5	45	<b>10-5035</b>
	Limits	14.0 to 14.8	35 to 50	Compatibility
	Details	Holds up to 24 vials.		EZ-2 ✓ S2 ✓ S3 ✓


	Vial Dimensions (mm)	Diameter	Length	Part Number
	Nominal	14.5	65	<b>10-5016</b>
	Limits	14.0 to 14.8	55 to 75	Compatibility
	Details	Holds up to 24 vials.		EZ-2 ✓ S2 ✓ S3 ✓


	Vial Dimensions (mm)	Diameter	Length	Part Number
	Nominal	15	45	<b>10-5037</b>
	Limits	14.3 to 15.1	35 to 50	Compatibility
	Details	Holds up to 24 vials.		EZ-2 ✓ S2 ✓ S3 ✓


	Vial Dimensions (mm)	Diameter	Length	Part Number
	Nominal	15	65	<b>10-5021</b>
	Limits	14.3 to 15.1	55 to 75	Compatibility
	Details	Holds up to 24 vials.		EZ-2 ✓ S2 ✓ S3 ✓


	Vial Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>	
	<b>Nominal</b>	15.5	45	<b>10-5038</b>	
	<b>Limits</b>	15.0 to 15.8	35 to 50	<b>Compatibility</b>	
	<b>Details</b>	Holds up to 24 vials.		EZ-2	✓
				S2	✓
S3				✓	


	Vial Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>	
	<b>Nominal</b>	16	100	<b>10-5067</b>	
	<b>Limits</b>	15.5 to 16.3	75 to 102	<b>Compatibility</b>	
	<b>Details</b>	Holds up to 24 vials.		EZ-2	✓
				S2	✓
S3				✓	


	Vial Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>	
	<b>Nominal</b>	16.5	65	<b>10-5028</b>	
	<b>Limits</b>	16.2 to 17.0	55 to 75	<b>Compatibility</b>	
	<b>Details</b>	Holds up to 24 vials.		EZ-2	✓
				S2	✓
S3				✓	


	Vial Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>	
	<b>Nominal</b>	17	40	<b>10-5007</b>	
	<b>Limits</b>	16.3 to 17.1	38 to 50	<b>Compatibility</b>	
	<b>Details</b>	Holds up to 24 vials.		EZ-2	✓
				S2	✓
S3				✓	


	Vial Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>	
	<b>Nominal</b>	17	65	<b>10-5030</b>	
	<b>Limits</b>	16.5 to 17.3	55 to 75	<b>Compatibility</b>	
	<b>Details</b>	Including 2 dram vial. Holds up to 24 vials.		EZ-2	✓
				S2	✓
S3				✓	


	Vial Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>
	<b>Nominal</b>	17.5	45	<b>10-5031</b>
	<b>Limits</b>	17.0 to 17.8	40 to 50	<b>Compatibility</b>
	<b>Details</b>	Holds up to 24 vials.		EZ-2 ✓ S2 ✓ S3 ✓


	Vial Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>
	<b>Nominal</b>	18	45	<b>10-5033</b>
	<b>Limits</b>	17.7 to 18.5	40 to 50	<b>Compatibility</b>
	<b>Details</b>	Holds up to 24 vials.		EZ-2 ✓ S2 ✓ S3 ✓


	Vial Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>
	<b>Nominal</b>	20	65	<b>10-5036</b>
	<b>Limits</b>	19.5 to 20.3	55 to 75	<b>Compatibility</b>
	<b>Details</b>	Holds up to 18 vials.		EZ-2 ✓ S2 ✓ S3 ✓


	Vial Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>
	<b>Nominal</b>	20.5	65	<b>10-5040</b>
	<b>Limits</b>	20.0 to 20.8	55 to 75	<b>Compatibility</b>
	<b>Details</b>	Holds up to 18 vials.		EZ-2 ✓ S2 ✓ S3 ✓


	Vial Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>
	<b>Nominal</b>	21	65	<b>10-5039</b>
	<b>Limits</b>	20.5 to 21.3	55 to 75	<b>Compatibility</b>
	<b>Details</b>	Holds up to 18 vials.		EZ-2 ✓ S2 ✓ S3 ✓


	Vial Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>	
	<b>Nominal</b>	21.5	65	<b>10-5041</b>	
	<b>Limits</b>	21.0 to 21.8	55 to 75	<b>Compatibility</b>	
	<b>Details</b>	Holds up to 18 vials.		EZ-2	✓
				S2	✓
S3				✓	


	Vial Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>	
	<b>Nominal</b>	22.5	50	<b>10-5062</b>	
	<b>Limits</b>	22.0 to 22.8	38 to 50	<b>Compatibility</b>	
	<b>Details</b>	Holds up to 12 vials.		EZ-2	✓
				S2	✓
S3				✓	


	Vial Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>	
	<b>Nominal</b>	23	85	<b>10-5079</b>	
	<b>Limits</b>	22.5 to 23.3	75 to 102	<b>Compatibility</b>	
	<b>Details</b>	Holds up to 15 vials.		EZ-2	✓
				S2	✓
S3				✓	


	Vial Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>	
	<b>Nominal</b>	23.5	65	<b>10-5019</b>	
	<b>Limits</b>	23.0 to 23.8	55 to 75	<b>Compatibility</b>	
	<b>Details</b>	Holds up to 12 vials.		EZ-2	✓
				S2	✓
S3				✓	


	Vial Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>	
	<b>Nominal</b>	24	45	<b>10-5075</b>	
	<b>Limits</b>	23.7 to 24.5	45 to 75	<b>Compatibility</b>	
	<b>Details</b>	Holds up to 12 vials.		EZ-2	✓
				S2	✓
S3				✓	


	Vial Dimensions (mm)	Diameter	Length	Part Number
	<b>Nominal</b>	27.5	65	<b>10-5013</b>
	<b>Limits</b>	27.0 to 27.8	55 to 75	<b>Compatibility</b>
	<b>Details</b>	Accepts 20 ml scintillation vials. Holds up to 12 vials.		EZ-2 ✓ S2 ✓ S3 ✓

	Vial Dimensions (mm)	Diameter	Length	Part Number
	<b>Nominal</b>	27.5	100	<b>10-5010</b>
	<b>Limits</b>	27.0 to 27.8	75 to 110	<b>Compatibility</b>
	<b>Details</b>	NOTE: Requires Cushion (supplied). Accepts 40 ml scintillation vials. Holds up to 8 vials. Replacement cushion 10-1546 (each), 10-1551 (pack of 100).		EZ-2 ✓ S2 ✓ S3 ✓

	Vial Dimensions (mm)	Diameter	Length	Part Number
	<b>Nominal</b>	30	65	<b>10-5078</b>
	<b>Limits</b>	29.5 to 30.3	55 to 75	<b>Compatibility</b>
	<b>Details</b>	Holds up to 8 vials.		EZ-2 ✓ S2 ✓ S3 ✓

	Vial Dimensions (mm)	Diameter	Length	Part Number
	<b>Nominal</b>	35	100	<b>10-5068</b>
	<b>Limits</b>	34.5 to 35.8	75 to 102	<b>Compatibility</b>
	<b>Details</b>	Holds up to 6 vials.		EZ-2 ✓ S2 ✓ S3 ✓

	Vial Dimensions (mm)	Diameter	Length	Part Number
	<b>Nominal</b>	40	75	<b>10-5085</b>
	<b>Limits</b>	39.5 to 40.4	72 to 80	<b>Compatibility</b>
	<b>Details</b>	Holds up to 6 vials.		EZ-2 ✓ S2 ✓ S3 ✓

	Vial Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>		
	<b>Nominal</b>	7	32	<b>10-5087</b>		
	<b>Limits</b>	6.5 to 7.5	22 to 42	<b>Compatibility</b>		
	<b>Details</b>	Holds up to 117 vials.			EZ-2	✓
					S2	✓
S3					✓	

## One-Piece Vial Holders

	Vial Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>		
	<b>Nominal</b>	27.5	140	<b>10-5076</b>		
	<b>Limits</b>	27.0 to 27.8	105 to 142	<b>Compatibility</b>		
	<b>Details</b>	<p><b>NOTE: Requires thermal cushion (10-1546).</b> For Dionex 60 ml ASE® tubes. Holds up to 6 vials.</p> <p>Replacement cushion 10-1546 (each), 10-1551 (pack of 100).</p>			EZ-2	✓
					S2	✓
S3					✓	

ASE® is a registered trademark of Dionex Corporation.


# Centrifuge Tube Holders


	Tube Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>
	<b>Nominal</b>	16.5	115	<b>70-1192</b>
	<b>Limits</b>	16.3 to 17.3	100 to 120	<b>Compatibility</b>
	<b>Details</b>	<b>NOTE: Requires tip cushion</b> (supplied), Holds up to 24 tubes. Replaces 10-5053.		EZ-2 ✓ S2 ✓ S3 ✓


For 30° ended 15 ml centrifuge tubes.  
Replacement cushion 10-1585 (each), 10-1602 (pack of 24).

	Tube Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>
	<b>Nominal</b>	29.5	115	<b>10-5054</b>
	<b>Limits</b>	28.5 to 29.8	100 to 115	<b>Compatibility</b>
	<b>Details</b>	For 70° ended 50 ml centrifuge tubes. Holds up to 10 tubes.		EZ-2 ✓ S2 ✓ S3 ✓

## Microcentrifuge Tube Holders


	Tube Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>	
	<b>Nominal</b>	8	30	<b>10-5049</b>	
	<b>Limits</b>	NA	NA	<b>Compatibility</b>	
	<b>Details</b>	For 0.5 ml flip-cap, without skirt. Holds up to 50 tubes.		EZ-2	✓
				S2	✓
S3				✓	


	Tube Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>	
	<b>Nominal</b>	10	40	<b>10-5043</b>	
	<b>Limits</b>	NA	NA	<b>Compatibility</b>	
	<b>Details</b>	For 1.5 ml flip-cap, without skirt. Holds up to 32 tubes.		EZ-2	✓
				S2	✓
S3				✓	


	Tube Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>	
	<b>Nominal</b>	8	30	<b>10-5011</b>	
	<b>Limits</b>	NA	NA	<b>Compatibility</b>	
	<b>Details</b>	For 2.0 ml flip-cap, without skirt. Holds up to 24 tubes.		EZ-2	✓
				S2	✓
S3				✓	

	Tube Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>	
	<b>Nominal</b>	17	40	<b>10-5089</b>	
	<b>Limits</b>	NA	NA	<b>Compatibility</b>	
	<b>Details</b>	For 5.0 ml flip-cap, without skirt. Holds up to 16 tubes.		EZ-2	✓
				S2	✓
S3				✓	


## Bottle Holders

	Bottle Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>
	<b>Nominal</b>	55.5	100	<b>70-1025</b>
	<b>Limits</b>	54.0 to 56.0	90 to 110	<b>Compatibility</b>
	<b>Details</b>	Including Schott 100 ml. Holds 2 bottles.		EZ-2 ✓ S2 ✓ S3 ✓

	Bottle Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>
	<b>Nominal</b>	60.5	125	<b>10-5061</b>
	<b>Limits</b>	59.5 to 62	105 to 127	<b>Compatibility</b>
	<b>Details</b>	Holds 2 bottles.		EZ-2 ✓ S2 ✓ S3 ✓

	Bottle Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>
	<b>Nominal</b>	70	140	<b>70-1795</b>
	<b>Limits</b>	69 to 70.8	110 to 140	<b>Compatibility</b>
	<b>Details</b>	<b>NOTE: Requires cushion (supplied).</b> Replacement cushion: 04-8963.		EZ-2 ✓ S2 ✓ S3 ✓

Including Schott 250ml & 400ml beaker.


	Bottle Dimensions (mm)	<b>Diameter</b>	<b>Length</b>	<b>Part Number</b>
	<b>Nominal</b>	82	152	<b>10-5063</b>
	<b>Limits</b>	81 to 82.8	110 to 152	<b>Compatibility</b>
	<b>Details</b>	<b>NOTE: Not for use with EZ-2 Mark 1 models.</b> Requires cushion (supplied).		EZ-2 ✓ S2 ✓ S3 ✓

For 500 ml bottle. Holds one bottle.

Replacement cushion 10-1543 (each), 10-1553 (pack of 100).

## Flask Holders

Flask socket sizes are European ISO-standard joint sizes. The first number represents the outer diameter at the widest part of the ground glass joint section in millimetres. The second number represents the length of the joint section in millimetres.

	<b>Flask Volume</b>	25 ml	<b>Part Number</b>	
	<b>Socket Size</b>	19/26 to 24/29	<b>70-0538</b>	
	<b>Details</b>	<p><b>NOTE: Requires cushion (supplied).</b> Holds 6 flasks. Replacement cushion 10-1546 (each), 10-1551 (pack of 100).</p>	<b>Compatibility</b>	
			EZ-2	✓
			S2	✓
			S3	✓

	<b>Flask Volume</b>	50 ml	<b>Part Number</b>	
	<b>Socket Size</b>	29/32	<b>70-0539</b>	
	<b>Details</b>	<p><b>NOTE: Requires cushion (supplied).</b> Holds 4 flasks. Replacement cushion 10-1540 (each), 10-1556 (pack of 100).</p>	<b>Compatibility</b>	
			EZ-2	✓
			S2	✓
			S3	✓

	<b>Flask Volume</b>	50 ml	<b>Part Number</b>	
	<b>Socket Size</b>	19/36 to 24/29	<b>70-0656</b>	
	<b>Details</b>	<p><b>NOTE: Requires cushion (supplied).</b> Holds 4 flasks. Replacement cushion 10-1540 (each), 10-1556 (pack of 100).</p>	<b>Compatibility</b>	
			EZ-2	✓
			S2	✓
			S3	✓


	<b>Flask Volume</b>	50 ml	<b>Part Number</b>	
	<b>Socket Size</b>	24/29 to 29/32	<b>70-1026</b>	
	<b>Details</b>	<p><b>NOTE: Requires cushion (supplied).</b> Holds 4 flasks. Replacement cushion 10-1540 (each), 10-1556 (pack of 100).</p>	<b>Compatibility</b>	
			EZ-2	✓
			S2	✓
			S3	✓

	<b>Flask Volume</b>	100 ml	<b>Part Number</b>	
	<b>Socket Size</b>	19/26 to 24/29	<b>70-0657</b>	
	<b>Details</b>	<p><b>NOTE: Requires cushion (supplied).</b> Compatible with Radleys 6-piece Carousel. Holds 3 flasks. Replacement cushion 10-1541 (each), 10-1555 (pack of 48).</p>	<b>Compatibility</b>	
			EZ-2	✓
			S2	✗
			S3	✗

	<b>Flask Volume</b>	100 ml	<b>Part Number</b>
	<b>Socket Size</b>	29/36 to 19/32	<b>70-0579</b>
	<b>Details</b>	<p><b>NOTE: Requires cushion (supplied). Holds 3 flasks.</b> Replacement cushion 10-1541 (each), 10-1555 (pack of 48).</p>	<b>Compatibility</b>
			EZ-2 ✓
S2 ✗			
			S3 ✗

	<b>Flask Volume</b>	250 ml	<b>Part Number</b>
	<b>Socket Size</b>	19/22 to 29/32	<b>70-0580</b>
	<b>Details</b>	<p><b>NOTE: Requires cushion (supplied).</b> Compatible with Radleys 6-piece Carousel. Holds 1 flask. Replacement cushion 10-1543 (each), 10-1553 (pack of 12).</p>	<b>Compatibility</b>
			EZ-2 ✓
S2 ✓			
			S3 ✓

	<b>Flask Volume</b>	500 ml	<b>Part Number</b>
	<b>Socket Size</b>	19/32 to 29/32	<b>70-0582</b>
	<b>Details</b>	<p><b>NOTE: Requires cushion (supplied). Holds 1 flask.</b> Replacement cushion 10-1544 (each), 10-1552 (pack of 12).</p>	<b>Compatibility</b>
			EZ-2 ✓
S2 ✗			
			S3 ✗


	<b>Flask Volume</b>	500 ml	<b>Part Number</b>
	<b>Socket Size</b>	19/32 to 29/32	<b>10-1616</b>
	<b>Details</b>	<p><b>NOTE: Requires cushion (supplied).</b> <b>Max. flask height: 156mm.</b> Holds 1 flask. Replacement cushion 10-1544 (each), 10-1552 (pack of 12).</p>	<b>Compatibility</b>
			EZ-2 ✗
S2 ✓			
			S3 ✓

# SampleGenie™

The revolutionary SampleGenie technology enables large volume samples to be dried or concentrated directly into a variety of small vials. Where HPLC purification fractions are used, fractions are combined into one tube and dried or fast lyophilised into the final vial.



# 60 ml SampleGenie



Item	Description	Qty in Set	Part Number
1	Flask	10	70-1153
2	Seal for GC vials - white Viton	▪	70-1359
	Seal for GC vials - perfluoroelastomer	▪	70-1360
	Seal for all vials except GC - white Viton	▪	70-1361
	Seal for all vials except GC - perfluoroelastomer	▪	70-1362
3	Adapter	▪	▪ ▪
4	Cushion for 60 ml SampleGenie - Viton	10	70-1448
5	Sample Holder:		
	SampleGenie set with white Viton seals	1	70-1340
	SampleGenie set with perfluoroelastomer seals	1	70-1341

▪ Specify quantity when ordering

▪ ▪ Refer to following table for 60 ml adapter part numbers

Please specify adapter type when ordering complete assemblies.

## 60 ml Drying Adapters

Code	Max. Vial Diameter (mm)	Vial Length (mm)	Part Number
AE	11.8	30.5 to 33.5	04-6214
AG	11.8	45.5 to 48.5	04-6615
AD	13.5	38.5 to 41.5	04-6174
AL	15.3	30.5 to 33.5	04-7593
AB	15.3	43.5 to 46.5	04-6155
AF	15.3	48.5 to 51.5	04-4686
AK	15.6	38.5 to 41.5	04-7302
AM	16.6	48.5 to 51.5	15-0448
AJ	16.8	43.5 to 46.5	04-6756
AA	17.3	48.5 to 51.5	04-6156
AH	19.8	38.5 to 41.5	04-6619
AC	20.3	48.5 to 51.1	04-6166




## 60 ml Lyophilisation/Concentration Adapters

Code	Max. Vial Diameter (mm)	Vial Length (mm)	Part Number
AE	11.8	30.5 to 33.5	04-6215
AG	11.8	45.5 to 48.5	04-6614
AD	13.5	38.5 to 41.5	04-6175
AL	15.3	30.5 to 33.5	04-7592
AB	15.3	43.5 to 46.5	04-6130
AF	15.3	48.5 to 51.5	04-4688
AK	15.6	38.5 to 41.5	04-7301
AM	16.6	48.5 to 51.5	15-0450
AJ	16.8	43.5 to 46.5	04-6757
AA	17.3	48.5 to 51.5	04-6110
AH	19.8	38.5 to 41.5	04-6618
AC	20.3	48.5 to 51.1	04-6167



**NOTE:** Code is shown on the base of the adaptor.

# 125 ml SampleGenie



Item	Description	Qty in Set	Part Number
1	Flask	10	70-1157
2	Seal for GC vials - white Viton	▪	70-1359
	Seal for GC vials - perfluoroelastomer	▪	70-1360
	Seal for all vials except GC - white Viton	▪	70-1363
	Seal for all vials except GC - perfluoroelastomer	▪	70-1364
3	Adapter	▪	▪ ▪
4	Cushion for 125 ml SampleGenie - PTFE	8	70-1373
5	Sample Holder:		
	SampleGenie set with white Viton seals	1	70-1346
	SampleGenie set with perfluoroelastomer seals	1	70-1347


▪ Specify quantity when ordering

▪ ▪ Refer to following table for 125 ml adapter part numbers

Please specify adapter type when ordering complete assemblies.

## 125 ml Drying Adapters

Code	Max. Vial Diameter (mm)	Vial Length (mm)	Part Number
BE	11.8	30.5 to 33.5	04-6216
BC	15.3	43.5 to 46.5	04-6162
BG	15.3	48.5 to 51.5	04-6378
BB	16.8	33.5 to 36.5	04-6161
BM	16.8	43.5 to 46.5	04-6759
BH	17.3	48.5 to 51.5	04-6390
BF	17.3	58.5 to 61.5	04-6292
BL	18.0	43.5 to 46.5	04-6737
BO	18.3	38.5 to 41.5	04-7645
BK	21.8	55.5 to 58.5	04-6606
BJ	23.8	58.5 to 61.5	04-6454
BN	24.3	48.5 to 51.5	04-6979
BA	27.3	58.5 to 61.5	04-6048
BD	28.3	58.5 to 61.5	04-6190




## 125 ml Lyophilisation/Concentration Adapters

Code	Max. Vial Diameter (mm)	Vial Length (mm)	Part Number
BE	11.8	30.5 to 33.5	04-6217
BC	15.3	43.5 to 46.5	04-6160
BG	15.3	48.5 to 51.5	04-6377
BB	16.8	33.5 to 36.5	04-6159
BM	16.8	43.5 to 46.5	04-6760
BH	17.3	48.5 to 51.5	04-6389
BF	17.3	58.5 to 61.5	04-6293
BL	18.0	43.5 to 46.5	04-6739
BO	18.3	38.5 to 41.5	04-7644
BK	21.8	55.5 to 58.5	04-6605
BJ	23.8	58.5 to 61.5	04-6453
BN	24.3	48.5 to 51.5	04-6980
BA	27.3	58.5 to 61.5	04-6049
BD	28.3	58.5 to 61.5	04-6192



**NOTE:** Code is shown on the base of the adaptor.

# 250 ml SampleGenie



Item	Description	Qty in Set	Part Number
1	Flask	4	70-1158
2	Seal for GC vials - white Viton	▪	70-1359
	Seal for GC vials - perfluoroelastomer	▪	70-1360
	Seal for all vials except GC - white Viton	▪	70-1363
	Seal for all vials except GC - perfluoroelastomer	▪	70-1364
3	Adapter	▪	▪ ▪
4	Cushion for 125 ml SampleGenie - PTFE	4	70-1358
5	Sample Holder:		
	SampleGenie set with white Viton seals	1	70-1352
	SampleGenie set with perfluoroelastomer seals	1	70-1353

▪ Specify quantity when ordering

▪ ▪ Refer to following table for 250 ml adapter part numbers

Please specify adapter type when ordering complete assemblies.

## 250 ml Drying Adapters

Code	Max. Vial Diameter (mm)	Vial Length (mm)	Part Number
CF	11.8	30.5 to 33.5	04-6218
CE	15.3	43.5 to 46.5	04-6186
CD	17.3	58.5 to 61.5	04-6184
CH	21.3	68.5 to 71.5	04-6363
CC	27.3	58.5 to 61.5	04-6182
CA	27.3	68.5 to 71.5	04-6163
CG	28.3	58.5 to 61.5	04-6238
CB	28.3	68.5 to 71.5	04-6168



## 250 ml Lyophilisation/Concentration Adapters

Code	Max. Vial Diameter (mm)	Vial Length (mm)	Part Number
CF	11.8	30.5 to 33.5	04-6219
CE	15.3	43.5 to 46.5	04-6172
CD	17.3	58.5 to 61.5	04-6171
CH	21.3	68.5 to 71.5	04-6245
CC	27.3	58.5 to 61.5	04-6170
CA	27.3	68.5 to 71.5	04-6144
CG	28.3	58.5 to 61.5	04-6239
CB	28.3	68.5 to 71.5	04-6169



NOTE: Code is shown on the base of the adaptor.

# Miscellaneous

## Infinity Trolley

The Infinity Trolley is a modular system designed to accommodate a range of Genevac evaporation equipment. The trolley provides safe and durable support for the evaporator, whilst occupying the minimum amount of laboratory space. The lower “truck” can be extended to provide access to items on the lower shelf.




### Approximate Infinity Trolley Dimensions:


740 mm x 733 mm x 835 mm (W x D x H)


When truck is fully extended, add 500 mm to depth.  
For optional side-shelf, add 260 mm to width.

	<b>Infinity Trolley</b>		<b>Part Number</b>
	<b>Description</b>	Infinity Trolley	<b>70-1850</b>
	<b>Details</b>	Compatible with miVac, EZ-2 Series, Rocket Synergy and Series 3 evaporators.	

	<b>Infinity Trolley Accessory</b>		<b>Part Number</b>
	<b>Description</b>	Shelf Kit	<b>70-1635</b>
	<b>Details</b>	Bolts to the back of the Infinity Trolley. May be fitted to left- and right-hand sides.	


	<b>Infinity Trolley Accessory</b>		<b>Part Number</b>
	<b>Description</b>	Joining Kit	<b>70-1636</b>
	<b>Details</b>	Plate and fixing screws to securely join an Infinity Trolley to another adjacent Trolley. Any number of Infinity Trollies may be joined together, using one joining kit for each Trolley being joined. <b>NOTE: Not suitable for use with Series 3 systems.</b>	


	<b>Infinity Trolley Accessory</b>		<b>Part Number</b>
	<b>Description</b>	Series 3 Deflector Plate & Joining Kit	<b>70-1900</b>
	<b>Details</b>	Designed specifically for the Series 3, this Infinity Trolley joining kit includes a deflector plate to direct exhaust airflow away from the evaporator. <b>NOTE: Suitable for use with Series 3 systems only.</b>	


	<b>Series 3 Accessory</b>		<b>Part Number</b>
	<b>Description</b>	Series 3 Deflector Plate	<b>70-2017</b>
	<b>Details</b>	For use with Series 3 evaporators. Directs exhaust airflow away from adjacent evaporators when siting multiple Series 3 systems together on a bench (without Infinity Trollies).	


## Heat-Transfer Plates for Microplates

Heat-Transfer Plates provide improved evaporation results when using microtitre plates. Heat-Transfer Plates are suitable for use with microtitre plates only.

	Heat-Transfer Plates		Part Number
	Description	HTP - Complete Assembly	<b>70-1786</b>
	Details	Heat-Transfer Plate with pliable thermal pad. Compatible with all types of deep-well plate that fit within the footprint of the fast-stack or side-bridge swing.	

	Heat-Transfer Plates		Part Number
	Description	HTP - Base Plate	<b>70-1787</b>
	Details	Replacement base plate (only) for Heat-Transfer Plate Assembly.	

	Heat-Transfer Plates		Part Number
	Description	HTP - Thermal Pad	<b>70-1788</b>
	Details	Replacement thermal pad (only) for Heat-Transfer Plate Assembly.	

	Heat-Transfer Plates		Part Number
	Description	HTP - Thermal Pad (old style)	<b>70-1614</b>
	Details	Replacement thermal pad (only) for older version Heat-Transfer Plates.  <b>NOTE: Suitable for use with older version Heat-Transfer Plates, part number 70-1613, only.</b>	

**NOTE:** Heat-Transfer Plate assembly 70-1786 is supplied with deep-well fast-stack swings (70-1612), and may also be used with standard side-bridge swings (70-0578).

**NOTE:** Thermal Pads are a consumable item. They may be turned over, allowing both sides of the pad to be used before replacement.

Highly durable, solid aluminium Heat-Transfer Plates are available to suit a range of microtitre plates. Please contact your local Genevac representative for more details.



**NOTE:** Solid Heat-Transfer Plates should only be used with the type of microtitre plate for which they were specified.

## Gilson and Waters Fraction Collection Racks


Genevac offer a range of innovative options that help interface fraction collection systems directly to a Genevac evaporator. Gilson 215 and Waters 2767 systems are currently supported.


To interface with the fraction collection system, Genevac provide a simple sample holder carrier which fits directly onto the fraction collection bed. Genevac sample holders fit into the carrier to make up a complete fraction collection rack. Once fractions are collected, the sample holders can be placed directly into the Genevac evaporator with no need to label, mark or manipulate individual tubes. Sample holders can be marked to indicate their location within the fraction collection rack.



A range of sample holders is available, including standard sample holders and specially-designed holders which ensure uniform spacing between tubes and help reduce fraction collector re-programming.

**NOTE:** Waters 2767 users will require the adapter plate when using 16 mm diameter tubes.

Further information, including a technical article discussing Fraction Collection Racks in greater detail, is available upon request from your local Genevac representative.

	<b>Rack</b>		<b>Part Number</b>
	<b>Description</b>	Rack	<b>10-1570</b>
	<b>Details</b>	For use with Waters Fraction Collection Rack. Holds 4 tube holders (e.g. 10-5020 or 10-5027).	

	<b>Adapter Plate</b>		<b>Part Number</b>
	<b>Description</b>	Adapter Plate for 10-1570	<b>04-4181</b>
	<b>Details</b>	Converts Waters 2767 Sample Manager Rack Bed to hold 3 racks. 	

	<b>Adapter Plate</b>		<b>Part Number</b>
	<b>Description</b>	Plate for side-bridge holders	<b>04-4330</b>
	<b>Details</b>	Converts Waters 2767 Sample Manager Rack Bed to hold 14 MAX side-bridge holders. 	

**NOTE:** The items listed above represent a small sample from the range of fraction collection racks that Genevac can provide. Please contact your local Genevac representative for more details.


## Thermal Cushions


Genevac Thermal Cushions prolong glassware lifetime and dramatically reduce sample drying time. The use of Thermal Cushions is mandatory with some sample holders.


	Thermal Cushion		Part Number
	Diameter	25 mm	<b>10-1564</b>
	Details	Special. Please specify quantity required when ordering. Pack of 100 also available under part number 10-1565.	


	Thermal Cushion		Part Number
	Diameter	28 mm	<b>10-1546</b>
	Details	For use with flasks or tubes up to 25 ml. Please specify quantity required when ordering. Pack of 100 also available under part number 10-1551.	

	Thermal Cushion		Part Number
	Diameter	33 mm	<b>10-1540</b>
	Details	For use with flasks up to 50 ml. Please specify quantity required when ordering. Pack of 100 also available under part number 10-1556.	


	Thermal Cushion		Part Number
	Diameter	38 mm	<b>10-1542</b>
	Details	For use with flasks up to 170 ml. Please specify quantity required when ordering. Pack of 48 also available under part number 10-1554.	


	<b>Thermal Cushion</b>		<b>Part Number</b>
	<b>Diameter</b>	42 mm	<b>10-1541</b>
	<b>Details</b>	For use with flasks up to 100 ml. Please specify quantity required when ordering. Pack of 48 also available under part number 10-1555.	

	<b>Thermal Cushion</b>		<b>Part Number</b>
	<b>Diameter</b>	68 mm	<b>10-1543</b>
	<b>Details</b>	For use with flasks up to 250 ml. Please specify quantity required when ordering. Pack of 12 also available under part number 10-1553.	


	<b>Thermal Cushion</b>		<b>Part Number</b>
	<b>Diameter</b>	82 mm	<b>10-1544</b>
	<b>Details</b>	For use with flasks up to 500 ml. Please specify quantity required when ordering. Pack of 12 also available under part number 10-1552.	

## Tip Cushions

	<b>Tip Cushion</b>		<b>Part Number</b>
	<b>Quantity</b>	Set of 24	<b>70-1371</b>
	<b>Details</b>	For use with sample holder 10-5065.	

	<b>Tip Cushion</b>		<b>Part Number</b>
	<b>Quantity</b>	Set of 24	<b>10-1602</b>
	<b>Details</b>	For use with sample holder 70-1004.	

## Viton Cushion

	<b>Viton Thermal Cushion</b>		<b>Part Number</b>
	<b>Diameter</b>	68 mm	<b>04-8963</b>
	<b>Details</b>	For use with sample holders 70-1795 and 10-5060.  Please specify quantity required when ordering.	

## Thermal Cushion Accessories

	Accessory		Part Number
	Description	Applicator	<b>04-3822</b>
	Details	For use with thermal cushion.	

	Accessory		Part Number
	Description	Spatula	<b>04-3869</b>
	Details	For use with thermal cushion.	

# Spare Parts

## EZ-2 Consumables

The following parts are compatible with all EZ-2 series evaporators that have a detachable condenser jar.

	<b>Spare Part</b>		<b>Part Number</b>
	<b>Description</b>	Lamp Assembly (non-HCl)	<b>70-1116/S</b>
	<b>Details</b>	<p>For use with EZ-2.2, EZ-2.3 and EZ-2 Elite non-HCl compatible systems only.</p> <p>Lamp assembly consists of: lamp, lamp holder, clear Robax glass and sealing o-rings.</p>	

	<b>Spare Part</b>		<b>Part Number</b>
	<b>Description</b>	Lamp Assembly (HCl)	<b>70-1156/S</b>
	<b>Details</b>	<p>For use with EZ-2.2, EZ-2.3 and EZ-2 Elite HCL-compatible systems only.</p> <p>Lamp assembly consists of: lamp, lamp holder, clear Robax glass and sealing o-rings.</p>	

	<b>Spare Part</b>		<b>Part Number</b>
	<b>Description</b>	Infra-Red Lamp	<b>AC9060</b>
	<b>Details</b>	<p>For use with EZ-2.2, EZ-2.3 and EZ-2 Elite.</p> <p>Lamp only.</p>	

	<b>Spare Part</b>		<b>Part Number</b>
	<b>Description</b>	Lid Seal	<b>04-5094/S</b>
	<b>Details</b>	<p>For use with EZ-2.2, EZ-2.3 and EZ-2 Elite.</p>	

	<b>Spare Part</b>		<b>Part Number</b>
	<b>Description</b>	Jar Seal Kit	<b>70-1494/S</b>
	<b>Details</b>	For use with EZ-2.2 and EZ-2.3. Seal and thread insert kit for condenser jar.	

	<b>Spare Part</b>		<b>Part Number</b>
	<b>Description</b>	Condenser Jar	<b>STJ-10000-000</b>
	<b>Details</b>	For use with EZ-2.2 and EZ-2.3. Spare condenser jar.	

**NOTE:** For fitting instructions, please refer to the EZ-2 User Manual.

## Series 3 Consumables

	<b>Series 3 Chamber Door Seal</b>		<b>Part Number</b>
	<b>Dimensions</b>	435 mm x 444 mm (W x H)	<b>70-2050/S</b>
	<b>Details</b>	For Series 3 evaporators.	Replacement chamber door seal for Series 3 evaporators.


	<b>Series 3 Infra-Red Lamps</b>		<b>Part Number</b>
	<b>Quantity</b>	Set of two.	<b>70-1846/S</b>
	<b>Details</b>	For Series 3 evaporators.	Replacement IR lamps for Series 3 evaporators.


	<b>Series 3 SampleGuard Battery Housing Seal</b>		<b>Part Number</b>
	<b>Quantity</b>	Set of one.	<b>70-1848/S</b>
	<b>Details</b>	For Series 3 evaporators.	Replacement SampleGuard battery housing seal for Series 3 evaporators.


	<b>Series 3 SampleGuard Probe Sealing O-Ring</b>		<b>Part Number</b>
	<b>Quantity</b>	Set of four.	<b>70-1847/S</b>
	<b>Details</b>	For Series 3 evaporators.	Replacement SampleGuard probe sealing o-rings for Series 3 evaporators.

## Series 3 SampleGuard Probes

All Series 3 SampleGuard probes are HCl-compatible. Probes are a consumable item.

	Series 3 SampleGuard Probes		Part Number
	Length	445 mm	70-2091/S
	Details	For Series 3 evaporators.	Colour: Blue For Rotor position A1 (Control)

	Series 3 SampleGuard Probes		Part Number
	Length	655 mm	70-2090/S
	Details	For Series 3 evaporators.	Colour: Grey For Rotor positions A1 (Auxiliary) and B4 (Control)

	Series 3 SampleGuard Probes		Part Number
	Length	765 mm	70-2092/S
	Details	For Series 3 evaporators.	Colour: Red For Rotor position B4 (Auxiliary)

	Series 3 SampleGuard Probe Blanking Plug		Part Number
	Quantity		70-1852/S
	Details	For Series 3 evaporators.	Replacement SampleGuard Probe Blanking Plug for Series 3 evaporators.

**NOTE:** For fitting instructions, please refer to the *Series 3 Installation & Maintenance Manual*.

This page intentionally left blank.

This page intentionally left blank.

This page intentionally left blank.

## Genevac Patents

Genevac products are protected by the following patents and patent applications.

1297873	2332865	1297873 FR	2396575
1153278	2334688	1556149 FR	2363745
1073505 FR	6,605,474	1556149	2332865
699 18 734.6-08	1297874	600 07 636.9-08	2351683
699 18 733.8-08	1383605	4465277	6,878,342
699 09 770.3-08	1556149	1196757 CH	7,252,803
600 07 636.9-08	1196757	2362590	7,503,997
1297874 CH	1153278	1073505 CH	2024048
1297873 CH			

All specifications are subject to change without notice. Coolheat®, VacRamp™, Dri-Pure®, SampleGuard™, SampleGenie™ and associated logos are trade-marks of Genevac Ltd. Unauthorised use is prohibited.

Your local Genevac sales representative will be happy to advise on the availability of special order items in addition to the sample holders included in this brochure.

Genevac Ltd.  
The Sovereign Centre  
Farthing Road  
Ipswich  
IP1 5AP  
United Kingdom

Genevac Inc.  
SP Scientific  
3538 Main Street  
Stone Ridge  
NY12484  
United States of America

**Tel:**

Sales: +44 (0) 1473 240000  
Service: +44 (0) 1473 243000  
Fax: +44 (0) 1473 461176

**Email:**

Sales: [salesinfo@genevac.co.uk](mailto:salesinfo@genevac.co.uk)  
Service: [service@spscientific.com](mailto:service@spscientific.com)

Application Support: [applications@genevac.co.uk](mailto:applications@genevac.co.uk)

<http://www.spscientific.com>

**Tel:**

Sales: (1) 845 267 2211  
Service: (1) 877 548 4666  
Fax: (1) 845 267 2212

**Email:**

Sales: [sales@genevacusa.com](mailto:sales@genevacusa.com)  
Service: [service@spscientific.com](mailto:service@spscientific.com)

Application Support: [applications@genevac.co.uk](mailto:applications@genevac.co.uk)

<http://www.spscientific.com>